

ProPEX® Brass Sweat Adapter

Submittal information
Revision A: Aug. 17, 2016

Project information

Job name:	
Location:	Part no. ordered:
Engineer:	Date submitted:
Contractor:	Submitted by:
Manufacturer's representative:	Approved by:


Technical data

Material: C36000 brass

Product information and application use

ProPEX® brass sweat adapters transition Uponor PEX tubing to copper pipe for use in hydronic heating and cooling systems.¹ One end of the adapter is manufactured with the Uponor ProPEX fitting for connection to Wirsbo hePEX™ tubing and the other end is manufactured to adapt copper sweat connections. These adapters are not safe for direct burial in soil.

Note: Not for potable use.



✓ Description	Part number	A	B	C	Weight	Equiv. length (ft.)	Cv
ProPEX Brass Sweat Adapter, ½" PEX x ½" Copper	Q5515050	1.37"	0.77"	0.50" CU	0.06 lbs.	2.0	5.7
ProPEX Brass Sweat Adapter, ¾" PEX x ½" Copper	Q5517550	1.68"	1.10"	0.50" CU	0.10 lbs.	1.4	8.8
ProPEX Brass Sweat Adapter, ¾" PEX x ¾" Copper	Q5517575	1.85"	1.10"	0.75" CU	0.15 lbs.	2.1	13.4
ProPEX Brass Sweat Adapter, ¾" PEX x 1" Copper	Q5517510	2.07"	1.26"	1.00" CU	0.30 lbs.	3.7	10.9
ProPEX Brass Sweat Adapter, 1" PEX x 1" Copper	Q5511010	2.26"	1.36"	1.00" CU	0.31 lbs.	2.4	22.1
ProPEX Brass Sweat Adapter, 1¼" PEX x 1¼" Copper	Q5511313	2.60"	1.72"	1.25" CU	0.40 lbs.	3.9	34.0
ProPEX Brass Sweat Adapter, 1½" PEX x 1½" Copper	Q5511515	3.05"	1.90"	1.50" CU	0.65 lbs.	4.3	45.5
ProPEX Brass Sweat Adapter, 2" PEX x 2" Copper	Q5512020	3.80"	2.68"	2.00" CU	2.00 lbs.	5.3	83.6

Installation

Use the appropriate Uponor ProPEX ring for the tubing (sold separately). Do not solder within 18" of the ProPEX fitting. Refer to the Uponor Radiant Floor Heating Installation Handbook, Complete Design Assistance Manual (CDAM), or the Hydronic Piping Design Assistance Manual (HPDAM) for additional information.

Standards

CAN/CSA B137.5; ASTM F877; ASTM F1960; ASTM E84

Codes

IMC; UMC; IBC; IRC

Listings

NSF/ANSI 14; cNSFus-rfh; cQA1us

Related applications

Radiant Heating and Cooling Systems
Snow and Ice Melting Systems
Permafrost Protection Systems
Turf Conditioning Systems
Hydronic Piping Systems

Contact information

Uponor, Inc.
5925 148th Street West
Apple Valley, MN 55124 USA
Phone: 800.321.4739
Fax: 952.891.1409
www.uponorpro.com

Uponor Ltd.
2000 Argentia Rd., Plaza 1, Ste. 200
Mississauga, ON L5N 1W1 CANADA
Phone: 888.994.7726
Fax: 800.638.9517
www.uponorpro.com

¹ProPEX® is a registered trademark of Uponor, Inc. ProPEX™ is a trademark of Uponor Ltd.