


ProPEX® Engineered Polymer (EP) Opposing-port Tee

Ideal for use in hydronic riser piping applications with spacing constraints, the ProPEX® Engineered Polymer (EP) Opposing-port Tee eliminates the need for additional tees and elbows to facilitate piping in two directions.

Key benefits

- Reduces fittings and labor in riser applications; ideal for preassembled applications
- Eliminates spacing constraints in back-to-back units
- Features Uponor's durable, reliable ProPEX fitting system
- Listed to ASTM F1960 and NSF 14
- Code compliant for hydronic piping applications
 - International Mechanical Code (IMC)
 - Uniform Mechanical Code (UMC)
- Available in 1", 1¼", 1½" and 2" flow-through sizes with ¾" outlets

ProPEX EP tees in a riser application



Using an opposing-port tee in the riser example above reduces connections by **60%**

Part no.	Part description	Pkg. qty.
Q4801075	ProPEX EP Opposing-port tee, 1" x 1" x ¾" x ¾"	1
Q4801375	ProPEX EP Opposing-port tee, 1¼" x 1¼" x ¾" x ¾"	1
Q4801575	ProPEX EP Opposing-port tee, 1½" x 1½" x ¾" x ¾"	1
Q4802075	ProPEX EP Opposing-port tee, 2" x 2" x ¾" x ¾"	1



Uponor Inc.
5925 148th Street West
Apple Valley, MN 55124
USA

T 800.321.4739
F 952.891.2008

Uponor Ltd.
2000 Argentia Rd., Plaza 1, Ste. 200
Mississauga, ON L5N 1W1
CANADA

T 888.994.7726
F 800.638.9517