

Uponor



Uponor PRO 1" Manifold

UNDERFLOOR HEATING
AND COOLING

Uponor PRO 1" Manifold

Thought through to the last detail

Implementing new ideas and constantly improving good things without losing sight of the tried and tested – that is the basis for Uponor's brand quality. The use of the latest technology combined with our know-how has also proved its worth in the development of the Uponor PRO 1" plastic manifold. The many optimised product features are the best proof of this.

With its modular design, the Uponor PRO 1" Manifold, made of fibre-reinforced plastic, can be adapted to a wide range of installation situations. The variable connection segments and largely tool-free assembly allow it to be installed quickly in any situation.

A particularly practical feature is that the individual components are fitted with a special thread and sealing rings and can be easily connected together by hand. This enables fast and safe connection.

Of course the manifold matches the other Uponor components in the floor heating/cooling range. This provides for simple and efficient operation with the relevant pipe connectors, valves and controls, guaranteed by the manufacturer.

Your advantages

- Modular concept with few components
- Modules with special thread quickly and securely connected without tools
- With its extensive range of accessories, it can be installed almost anywhere
- Dimensions to match Uponor pump groups, controls, pipe connectors, cabinets and accessories for complete system warranty
- Can be supplied with or without flow meter

Flexible and universal manifold for every installation

The Uponor PRO 1" Manifold can be installed quickly with few tools. A wide range of connection options and an extensive range of accessories meet almost every installation need.



Easy to assemble, quick and practical

The modular Uponor PRO 1" Manifold is supplied as a set with supply and return segments and three, four or six outlets.

Functional and universal

The Uponor PRO 1" individual segment sets with special plastic threads these allow the Uponor PRO 1" Manifolds to be extended afterwards to any length without any tools. Can also be supplied with flow meter.



Uponor PRO 1" Basic Kit

Complete with fill and drain valves



Our tried and tested clamp ring connector

With the aid of the brass eurocone and the special compression ring, Uponor Pe-Xa pipes can be quickly, easily and safely connected to the Uponor PRO 1" Manifold.

Technical features

- Modular manifold available with three, four or six outlets
- Extensible with single loops or loop modules
- Pre-assembled for self-sealing, tool-free installation
- Flat installation depth, 72 mm (85 mm with thermometer)
- Fast fixing without tools for the supply and return beams into the brackets (with special clip-in fixing brackets)



Uponor radiant heating and cooling

- Sustainable solutions with superior energy performance
- Perfect comfort for the home owner
- Seamless integration with the building process
- High reliability and low maintenance costs
- Technical support from design to installation

Uponor Corporation
www.uponor.com

Uponor reserves the right to make changes, without prior notification, to the specification of incorporated components in line with its policy of continuous improvement and development.

Uponor
simply more